| PATIENT NAME: | DATE: |
|---------------|-------|
|---------------|-------|

THE LOWER EXTREMITY FUNCTIONAL SCALE

We are interested in knowing whether you are having any difficulty at all with the activities listed below <u>because of your lower limb</u> Problem for which you are currently seeking attention. Please provide an answer for **each** activity.

Please rate your pain level with activity: NO PAIN = 0 1 2 3 4 5 6 7 8 9 10 = VERY SEVERE PAIN

Today, do you or would you have any difficulty at all with:

| | Activities | Extreme Difficulty or Unable to Perform Activity | Quite a Bit of Difficulty | Moderate Difficulty | A Little Bit of Difficulty | No Difficulty |
|----|--|--|------------------------------|------------------------|----------------------------|------------------|
| 1 | Any of your usual work, housework, or school activities. | 0 | 1 | 2 | 3 | 4 |
| 2 | Your usual hobbies, re creational or sporting activities. | 0 | 1 | 2 | 3 | 4 |
| 3 | Getting into or out of the bath. | 0 | 1 | 2 | 3 | 4 |
| 4 | Walking between rooms. | 0 | 1 | 2 | 3 | 4 |
| 5 | Putting on your shoes or socks. | 0 | 1 | 2 | 3 | 4 |
| 6 | Squatting. | 0 | 1 | 2 | 3 | 4 |
| 7 | Lifting an object, like a bag of groceries from the floor. | 0 | 1 | 2 | 3 | 4 |
| 8 | Performing light activities around your home. | 0 | 1 | 2 | 3 | 4 |
| 9 | Performing heavy activities around your home. | 0 | 1 | 2 | 3 | 4 |
| 10 | Getting into or out of a car. | 0 | 1 | 2 | 3 | 4 |
| 11 | Walking 2 blocks. | 0 | 1 | 2 | 3 | 4 |
| 12 | Walking a mile. | 0 | 1 | 2 | 3 | 4 |
| 13 | Going up or down 10 stairs (about 1 flight of stairs). | 0 | 1 | 2 | 3 | 4 |
| 14 | Standing for 1 hour. | 0 | 1 | 2 | 3 | 4 |
| 15 | Sitting for 1 hour. | 0 | 1 | 2 | 3 | 4 |
| 16 | Running on even ground. | 0 | 1 | 2 | 3 | 4 |
| 17 | Running on uneven ground. | 0 | 1 | 2 | 3 | 4 |
| 18 | Making sharp turns while running fast. | 0 | 1 | 2 | 3 | 4 |
| 19 | Hopping. | 0 | 1 | 2 | 3 | 4 |
| 20 | Rolling over in bed. | 0 | 1 | 2 | 3 | 4 |
| | Column Totals: | | | | | |

Minimum Level of Detectable Change (90% Confidence): 9 points SCORE: ____/ 80 Please submit the sum of responses.

Reprinted from Binkley, J., Stratford, P., Lott, S., Riddle, D., & The North American Orthopaedic Rehabilitation Research Network, The Lower Extremity Functional Scale: Scale development, measurement properties, and clinical application, Physical Therapy, 1999, 79, 4371-383, with permission of the American Physical Therapy Association.